



This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISI				
REV	DESCRIPTION	DATE	INITIAL	APPROVED
A	CH'D T/N WAS RBET642G1001101 TO RBET642G-1001-101. -1 CH'D MATERIAL FROM RUBBER TO PLOYURETHANE DUROMETER 60A, CH'D NOTE WAS P/N TO BE MOLDED INTO THIS FACE IS LASER ETCH "RBET642G-1001-221".	10/15/2013	RJC	RW



ASSY QTY	ASSY QTY	B/O	Part #	UNIT QTY	Description	Material	B/O INFORMATION OR SPECIFICATIONS	PG.
			-1	4	BLOCK	POLYURETHANE, BLACK	2-1/4 X 2-1/4 X 2-1/4 DUROMETER 60A MCMaster-CARR #8631K85	2
	X		-3	4	STRAP ASSY		EUGENE CANVASS	3
	1		-5	1	STRAP	COTTON	1/16 X 1 X 20-1/8 MCMaster-CARR #3643T92	4
	1		-7	1	VELCRO	NYLON	1 X 3-7/8 MCMaster-CARR #9273K523	5
		B/O	-9	4	FLAT HEAD SOCKET HEAD CAP SCREW	STEEL	10-24 X 2-1/4 MCMaster-CARR #91253A256	1
		B/O	-11	4	FLANGED COUNTERSUNK WASHER	S.S.	#10 MCMaster-CARR #90333A011	1
		B/O	-13	4	LOCK NUT	STEEL	10-32 MCMaster-CARR #90631A011	1
		B/O	-15	4	WASHER	STEEL	#10 MCMaster-CARR #98032A472	1
			-17	4	TAG	ALUMINUM	RB41010	1
		B/O	-19	4	LANYARD WIRE	STEEL	Ø1/16 X 8 CARR LANE #CL2C	1
		B/O	-21	4	FERRULE	ALUMINUM	Ø1/16 X 3/8 MCMaster-CARR #3896T31	1
	1	B/O	-23		GROMMET	NICKEL PLATED BRASS	SIZE 00 MCMaster-CARR #86625K31	3
	ASSY -3							

NOTE:
1. 4 PIECES PER TOOL.
2. REF. EUROCOPTER T/N: T642G1001101.

RED BARN MACHINE



TITLE
FREQUENCY ADAPTOR RESTRAINT

DWG NO. RBET642G-1001-101 **REV** A



MAT'L	DRAWN BY: GILBERT
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	APPROVED <i>D Weil</i>
.XXX ± .005	HEAT TREAT
.XX ± .01	FINISH
.X ± .1	SPEC
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	USED ON MODEL
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	EUROCOPTER
SCALE 1:5	DATE 11/16/2011
	SHEET 1 OF 5

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED
A	-1 CH'D MATERIAL FROM RUBBER TO PLOYURETHANE DUROMETER 60A, CH'D NOTE WAS P/N TO BE MOLDED INTO THIS FACE IS LASER ETCH "RBET642G-1001-221".	10/15/2013	RJC	RW



SECTION A-A




(-1)

BLOCK

RED BARN MACHINE	
TITLE FREQUENCY ADAPTOR RESTRAINT	
DWG NO. RBET642G-1001-101-1	REV A
MAT'L POLYURETHANE, BLACK	DRAWN BY: GILBERT
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 .XX ± .01 .X ± .1	APPROVED <i>D Weil</i> HEAT TREAT FINISH SPEC DUROMETER 50-55
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	USED ON MODEL EUROCOPTER
SCALE 1:2	DATE 5/3/2011
SHEET 2 OF 5	


This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS			
REV	DESCRIPTION	DATE	INITIAL




(-3)
STRAP ASSY

NOTE:
SEW VELCRO STRIPS TO STRAP, 100% AROUND PERIMETER.



 RED BARN MACHINE	
TITLE FREQUENCY ADAPTOR RESTRAINT	
DWG NO. RBET642G-1001-101-3	REV A
MAT'L UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 .XX ± .01 .X ± .1 FRACTIONS ± 1/32 ANGLES ± 5°	DRAWN BY: GILBERT APPROVED <i>D Weil</i> HEAT TREAT FINISH SPEC 1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING
SCALE 1:4	DATE 11/23/2011
SHEET 3 OF 5	

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION		DATE	INITIAL
				APPROVED





(-5)
STRAP



 RED BARN MACHINE	
TITLE FREQUENCY ADAPTOR RESTRAINT	
DWG NO. RBET642G-1001-101-5	REV A
MAT'L COTTON	DRAWN BY: GILBERT
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 .XX ± .01 .X ± .1 FRACTIONS ± 1/32 ANGLES ± 5°	APPROVED 
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	HEAT TREAT FINISH SPEC USED ON MODEL EUROCOPTER
SCALE 1:1	DATE 11/16/2011
SHEET 4 OF 5	

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS			
REV	DESCRIPTION	DATE	INITIAL



(-7)
VELCRO

 RED BARN MACHINE	
TITLE FREQUENCY ADAPTOR RESTRAINT	
DWG NO. RBET642G-1001-101-7	REV A
MAT'L NYLON	DRAWN BY: GILBERT
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 .XX ± .01 .X ± .1	APPROVED 
FRACTIONS ± 1/32 ANGLES ± 5°	HEAT TREAT FINISH
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	SPEC USED ON MODEL EUROCOPTER
SCALE 1:1	DATE 11/16/2011
SHEET 5 OF 5	